

L Number	Hits	Search Text	DB	Time stamp
1	13	6393017.URPN.	USPAT	2004/10/15 01:12
2	18	(telephone or phone) same "IP address" same extension same id	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 01:23
3	5	("4764919" "4896319" "5233607" "5742596" "6018570").PN.	USPAT	2004/10/15 01:13
4	6	("4764919" "4896319" "5233607" "5742596" "6018570" "6393017").PN.	USPAT	2004/10/15 01:17
5	184	(telephone or phone) same "IP address" same extension	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 01:23
7	23	((telephone or phone) same "IP address" same extension) same (generat\$ or alloc\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 01:23
6	96	((telephone or phone) same "IP address" same extension) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 01:31
20	8	"domain name" same extension same "user name"	USPAT; US-PGPUB; EPO	2004/10/15 02:40
-	1	5604737.pn.	USPAT; US-PGPUB; EPO	2004/09/27 18:08
-	88	5604737.URPN.	USPAT	2004/09/27 18:11
-	74	(((local or private) with address with (allocat\$ or assign\$) with dynamic\$) and (@rlad<19991221 or @ad<19991221)) and (rtp voice voip telephone)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 00:23
-	8	(((local or private) with address with (allocat\$ or assign\$) with dynamic\$) and (@rlad<19991221 or @ad<19991221)) and (rtp voice voip telephone) and (@pd>20040517)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 18:19
-	1	(((extension near3 (allocat\$ or generat\$ or assign\$)) with telephone) with dynamic) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 18:24
-	1	20010005366.did.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/30 13:25
-	2228	(telephone or phone) and "IP address" and extension and id	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 00:24

L Number	Hits	Search Text	DB	Time stamp
-	2538	(local or private) with "ip address"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/30 13:25
-	1607	(allocat\$ or provision\$) with "ip address"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 07:58
-	148	(allocat\$ or provision\$) with (local or private) with "ip address"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 07:58
-	43	((allocat\$ or provision\$) with (local or private) with "ip address") and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 07:21
-	43	((allocat\$ or provision\$) with (local or private) with "ip address") and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/15 01:23
-	1	20010004361.did.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:55
-	1	20010005366.did.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 08:25
-	2	("5901352" "5825759").pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 11:39
-	1	6400719.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 11:59
-	2	("5870562" "5726984").pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 11:59
-	5675	edge adj (device or router)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:10
-	40387	nat or "network address translation"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:12
-	12195	proxy	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:12
-	214896	telephone	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:13
-	0	(edge adj (device or router)) same (nat or "network address translation") same proxy same telephone	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:13
-	140	(nat or "network address translation") same telephone	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:13

-	7	(nat or "network address translation") same telephone same (edge adj (device or router))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:52
-	16	(nat or "network address translation") same telephone same proxy	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:53
-	35	((nat or "network address translation") same telephone) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 17:17
-	26	((nat or "network address translation") same telephone) and (@rlad<19991221 or @ad<19991221)) not (((nat or "network address translation") same telephone same proxy) or ((nat or "network address translation") same telephone same (edge adj (device or router))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:27
-	0	(nat or "network address translation") same voice same (edge adj (device or router))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:53
-	21	(nat or "network address translation") same voice same proxy	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:53
-	17	((nat or "network address translation") same voice same proxy) not ((nat or "network address translation") same telephone same proxy)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:54
-	97	(nat or "network address translation") same voice	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:54
-	17	((nat or "network address translation") same voice) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:25
-	188	(nat or "network address translation") and (voip or "voice over packet" or "voice over IP")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:58
-	19	((nat or "network address translation") and (voip or "voice over packet" or "voice over IP")) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:58
-	188	(nat or "network address translation") and (voip or "voice over packet" or "voice over IP")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 15:58
-	19	((nat or "network address translation") and (voip or "voice over packet" or "voice over IP")) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 16:08
-	2409	370/352.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 16:08
-	97	370/352.ccls. and (nat or "network address translation")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 16:08
-	28	(370/352.ccls. and (nat or "network address translation")) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/18 16:08

-	572	private near3 address near3 ip	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:24
-	1972	private near3 address	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:24
-	456	((private near3 address) with (allocat\$ or assign\$))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:55
-	240	((private near3 address) with (allocat\$ or assign\$)) and (NAT or "network address translation")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:25
-	61	((private near3 address) with (allocat\$ or assign\$)) and (NAT or "network address translation")) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:56
-	85	((private near3 address) with (allocat\$ or assign\$)) same (dhcp or "dynamic host")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:56
-	52	((private near3 address) with (allocat\$ or assign\$)) same (dhcp or "dynamic host")) and (telephone or voice or rtp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 13:56
-	13	((private near3 address) with (allocat\$ or assign\$)) same (dhcp or "dynamic host")) and (telephone or voice or rtp)) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 15:18
-	23	beser.in. and tunnel\$	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/19 15:18
-	242	(local or private) with address with (allocat\$ or assign\$) with dynamic\$	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 07:20
-	111	((local or private) with address with (allocat\$ or assign\$) with dynamic\$) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 07:22
-	17	((local or private) with address with (allocat\$ or assign\$) with dynamic\$) same (rtp voice voip telephone)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 07:22
-	11	((local or private) with address with (allocat\$ or assign\$) with dynamic\$) same (rtp voice voip telephone)) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	1	6128664.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 08:41
-	1	6731642.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 08:42
-	1	6496867.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 08:42

-	179	telephone same address same domain same (table or memory)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	32	telephone same address same domain same (table or memory) same user adj (id or name)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:57
-	32	telephone same address same domain same (table or memory) same (user adj (id or name))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	179	telephone same address same domain same (table or memory)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	32	telephone same address same domain same (table or memory) same (user adj (id or name))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	25	(telephone same address same domain same (table or memory) same (user adj (id or name))) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 10:58
-	25	(telephone same address same domain same (table or memory) same (user adj (id or name))) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 11:13
-	1	6400719.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 11:13
-	2	("5870562" "5726984").pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:39
-	2306	dhcp or "dynamic host configuration protocol" or (dynamic near (allocat\$ or assign\$) near address)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 17:22
-	90	telephon\$ same extension same domain	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 17:17
-	24	(dhcp or "dynamic host configuration protocol" or (dynamic near (allocat\$ or assign\$) near address)) same (telephon\$ same extension same domain)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 17:17
-	22	((dhcp or "dynamic host configuration protocol" or (dynamic near (allocat\$ or assign\$) near address)) same (telephon\$ same extension same domain)) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:26
-	140	(dhcp or "dynamic host configuration protocol" or (dynamic near (allocat\$ or assign\$) near address)) with (telephon\$ or rtp or voip)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 17:22
-	74	((dhcp or "dynamic host configuration protocol" or (dynamic near (allocat\$ or assign\$) near address)) with (telephon\$ or rtp or voip)) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:24

-	36	("4313035" "4953198" "5428663" "5448623" "5497339" "5557658" "5563937" "5606594" "5646945" "5727057" "5732074" "5732216" "5742905" "5838665" "5850433" "5875405" "5894473" "5894595" "5915008" "5918172" "5930700" "5933778" "5938757" "5960340" "5991394" "6006272" "6031904" "6075992" "6161134" "6163598" "6175860" "6216158" "6240097" "6301609" "6308201" "6411965").PN.	USPAT	2004/05/20 17:52
-	16833	extension with (allocat\$ or generat\$ or assign\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:25
-	617	(extension with (allocat\$ or generat\$ or assign\$)) with telephone	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:25
-	4748	extension near3 (allocat\$ or generat\$ or assign\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:25
-	310	(extension near3 (allocat\$ or generat\$ or assign\$)) with telephone	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:26
-	253	((extension near3 (allocat\$ or generat\$ or assign\$)) with telephone) and (@rlad<19991221 or @ad<19991221)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 18:23
-	1	6181694.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 19:28
-	0	((("5870562" "5726984").pn.) and extension	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 20:13
-	2	("6731642" "6496867").pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/05/20 20:13
-	1	5604737.pn.	USPAT; US-PGPUB; EPO	2004/09/27 15:33
-	1	20010005366.did.	USPAT; US-PGPUB; EPO	2004/09/27 15:33
-	1	20010004361.did.	USPAT; US-PGPUB; EPO	2004/09/27 17:05
-	1	6154465.pn.	USPAT; US-PGPUB; EPO	2004/09/27 17:14